## This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**


Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.





F16.2

Speech decodor Storage Speech processor 320

MO IN

moda data pentrator log-linear fination opurco -322

+ 6

5000 START 5/00 training Later 5200 model input lattice. Extrad features and Search 5400 5500 NO optimal uplate madel Yes 5600 5700 output model parameters 8407

6000 START F/6,6 INPUT -6100 TEST DATA 6200 INPUT MODEL 6300 INPUT LATTICE EXTRACT PENTURES 6400 AND SEARCH 56500 ANOTHER Yes PASS NO 6600 optimal word squery 6700